

# SAFETY DATA SHEET

Version 8.5 Revision Date 06/04/2021 Print Date 12/20/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Methacrylic acid (stabilised with hydroguinone

monomethyl ether) for synthesis

 Product Number
 : 8.00578

 Catalogue No.
 : 800578

 Brand
 : Millipore

 Index-No.
 : 607-088-00-5

 CAS-No.
 : 79-41-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Chemical for synthesis

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 3), H311

Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Millipore - 8.00578

Page 1 of 11



Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid.

H302 + H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Formula : C4H6O2
Molecular weight : 86.09 g/mol
CAS-No. : 79-41-4
EC-No. : 201-204-4
Index-No. : 607-088-00-5

Component Classification Concentration

Millipore - 8.00578

Millipore

methacrylic acid					
	Flam. Liq. 4; Acute Tox. 4;	<= 100 %			
	Acute Tox. 3; Skin Corr.				
	1A; Eye Dam. 1; STOT SE				
	3; Aquatic Acute 3; H227,				
	H302, H332, H311, H314,				
	H318, H335, H402				
	Concentration limits:				
	>= 1 %: STOT SE 3,				
	H335;				

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible.



Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Protected from light. Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects



# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
methacrylic acid	79-41-4	TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	20 ppm 70 mg/m3	USA. NIOSH Recommended Exposure Limits
	Remarks	Potential for dermal absorption		
		TWA	20 ppm 70 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		Skin notation		
		PEL	20 ppm 70 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact



Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 120 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

# **Body Protection** protective clothing

# **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting 15.4 - 15.5 °C (59.7 - 59.9 °F)

point/freezing point

f) Initial boiling point 162 °C 324 °F at 1,013 hPa and boiling range

g) Flash point 67 °C (153 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available flammability or explosive limits

k) Vapor pressure 0.97 hPa at 20 °C (68 °F) - (Lit.)

I) Vapor density No data availablem) Relative density No data available

n) Water solubility 98 g/l at 20 °C (68 °F) - OECD Test Guideline 105

o) Partition coefficient: log Pow: 0.93 at 22 °C (72 °F)

n-octanol/water

p) Autoignition 400 °C (752 °F) at 1,013 hPa

temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties No data available

t) Oxidizing properties No data available

# 9.2 Other safety information

Surface tension 65.9 mN/m at 20 °C (68 °F) - Surface tension

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Contains the following stabilizer(s):

hydroquinone monomethyl ether (0.02 %)

# 10.3 Possibility of hazardous reactions

Risk of explosion with:

furfuryl alcohol

hydrochloric acid

Violent reactions possible with:

Amines

azides

Aldehydes

Acid anhydrides

Acid chlorides

alkaline earth hydroxides

alkali hydroxides

bases

Ether

Heavy metal salts

Heavy metals

Ketones

metallic hydroxides

mineral acids

Nitric acid

Nitro compounds

nitrates

nitrites

Reducing agents

Strong oxidizing agents

Strong acids

Violent polymerization may be caused by:

iron/iron-containing compounds

sodium hydrogensulfite

sodium thiosulphate

peroxi compounds

Peroxides

persulfates

**Impurities** 

hydrogen peroxide



#### 10.4 Conditions to avoid

Heat. Keep away from direct sunlight. Strong heating.

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Acute toxicity estimate Oral - 1,321 mg/kg

(Calculation method)

LD50 Oral - Rat - male - 1,320 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 1.5 mg/l

(Calculation method)

LC50 Inhalation - Rat - male and female - 4 h - 7.1 mg/l

(OECD Test Guideline 403)

Acute toxicity estimate Dermal - 300.06 mg/kg

(Calculation method)

LD50 Dermal - Rabbit - 500 - 1,000 mg/kg

Remarks: (ECHA)

# Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns. - 3 min

(OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. (OECD Test Guideline 405) Causes serious eye damage.

## Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative Carcinogenicity

# IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory system

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 85

mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic

flow-through test EC50 - Daphnia magna (Water flea) - > 130 mg/l  $\,$  -

and other aquatic invertebrates

48 h (US-EPA)

Toxicity to algae

static test NOEC - Selenastrum capricornutum (green algae) - 8.2

mg/l - 72 h

(OECD Test Guideline 201)

static test EC50 - Selenastrum capricornutum (green algae) - 45

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC10 - Pseudomonas putida - 100 mg/l - 16.5 h

(DIN 38412)

# 12.2 Persistence and degradability

Biodegradability Result: 86 % - Readily biodegradable.

(OECD Test Guideline 301D)

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Millipore - 8.00578

Millipore SigMa

#### 12.6 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

DOT (US)

UN number: 2531 Class: 8 Packing group: II

Proper shipping name: Methacrylic acid, stabilized

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 2531 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: METHACRYLIC ACID, STABILIZED

Marine pollutant : yes

**IATA** 

UN number: 2531 Class: 8 Packing group: II

Proper shipping name: Methacrylic acid, stabilized

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

Millipore - 8.00578

Page 10 of 11



the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.5 Revision Date: 06/04/2021 Print Date: 12/20/2022

Millipore - 8.00578



Page 11 of 11