

## Wedjets<sup>®</sup> Dental Dam Stabilizing Cord (Non-Latex)

Issue Date: September 2014

Internal Document Number: 48251

Page 1 of 4

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

#### Product identifier

**Product Name:** Wedjets<sup>®</sup> Dental Dam Stabilizing Cord (Non-Latex)

**Product Code(s):** H06524, H06525

**Relevant identified uses of the mixture and uses advised against:** alternative to conventional clamp method of securing dental dam. Uses advised against: none known.

**Synonyms:** none

#### Manufacturer

Coltene/Whaledent Inc.  
235 Ascot Parkway  
Cuyahoga Falls, OH 44223 / USA  
Phone: 1 330 916 8800  
Fax: 1 330 916 7077  
[info.us@coltene.com](mailto:info.us@coltene.com)

#### Authorized EC Representative

Coltene/Whaledent GmbH + Co. KG  
Raiffeisenstraße 30  
89129 Langenau  
Phone: 49 7345 805 0  
Fax: 49 7345 805 201  
[info.de@coltene.com](mailto:info.de@coltene.com)

#### Emergency Contact Number:

USA & Canada: 1 800 535 5053

Copies of this SDS can be found at  
[www.coltene.com](http://www.coltene.com)

### Section 2: HAZARDS IDENTIFICATION

**Classifications:** not hazardous when used as intended.

**Appearance:** lime green or aqua blue rubber cord

**Contains:** proprietary

**Route(s) of Exposure:** dermal (skin)

**Other hazards which do not result in classification:** none

**PBT/vPvB Assessment:** This product does not contain persistent, bioaccumulative and toxic chemicals (PBT's) nor does this product contain any very persistent and very bioaccumulative chemicals (vPvB's).

### Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Substance (Synonyms)	CAS	EC Number	Index Number	Percent (w/w)
Proprietary (not hazardous)				

### Section 4: FIRST AID MEASURES

**Inhalation:** not applicable

**Eyes:** not applicable

**Skin:** flush with water.

**Ingestion:** not likely to occur. Material is chemically inert.

### Section 5: FIRE FIGHTING MEASURES

**Extinguishing Media:** water, CO<sub>2</sub>, dry chemical or foam

**Specific Hazards Arising from the Chemical:** none known

**Protective Equipment and Precautions for Firefighters:** Wear NIOSH approved self-contained breathing respirator in positive pressure mode.

### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment, and Emergency Procedures:** none

**Methods for Containment and Clean-up:** not applicable

**Other Information:** none

**Wedjets® Dental Dam Stabilizing Cord (Non-Latex)**

Issue Date: September 2014

Internal Document Number: 48251

Page 2 of 4

**Section 7: HANDLING AND STORAGE****Precautions for Safe Handling:** always wear gloves and eye protection. Keep container closed when not in use.**Conditions for Safe Storage, Including Incompatibilities:** Keep out of reach of children. Keep packaging closed. Store in cool place. Store away from heat and open flames.**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****Component Exposure Limits:** none.**Appropriate Engineering Controls:** none**Personal Protective Equipment (Eyes and Face):** wear safety goggles**Personal Protective Equipment (Skin):** wear gloves**Personal Protective Equipment (Respiratory):** none**Section 9: PHYSICAL AND CHEMICAL PROPERTIES****Appearance:** lime green or aqua blue rubber cord**Odor:** odorless**Odor Threshold:** no data**pH:** no data**Melting Point:** no data**Specific Gravity:** no data**Octanol / H<sub>2</sub>O Coefficient (log K<sub>ow</sub>):** no data**Molecular Weight:** no data**Auto Ignition:** no data**Flash Point:** no data**Vapor Density:** no data**Viscosity:** no data**VOC:** no data**Boiling Point:** no data**Solubility (H<sub>2</sub>O):** not soluble in water**Density:** 0.88 +/- 0.02 g/cm<sup>3</sup>**Evaporation Rate:** no data**Decomposition Temp:** no data**LFL:** no data**UFL:** no data**Vapor Pressure:** (25°C) no data**Flammability Class:** no data**Section 10: STABILITY AND REACTIVITY****Chemical Stability:** stable**Possibility of Hazardous Reactions:** none known**Conditions to Avoid:** Temperatures > 518 °F**Incompatibility:** Strong Oxidizers**Hazardous Decomposition Products:** CO, Hydrocarbons, CO<sub>2</sub>**Section 11: TOXICOLOGICAL INFORMATION****Likely Routes of Exposure:** dermal (skin)**Acute Effects:** not an irritant**Sensitization:** not a sensitizer**Carcinogenicity:** This product does not contain any substances classified as carcinogens by NTP, ACGIH, IARC or OSHA.**Mutagenicity:** not a mutagen**Reproductive Toxicity:** not toxic for reproduction**Specific Target Organ Toxicity - Single Exposure (STOT-SE):** no data available**Specific Target Organ Toxicity - Repeated or Prolonged Exposure (STOT-RE):** no data available**Section 12: ECOLOGICAL INFORMATION****Ecotoxicity:** no data available**Persistence / Degradability:** no data available

## Wedjets<sup>®</sup> Dental Dam Stabilizing Cord (Non-Latex)

Issue Date: September 2014

Internal Document Number: 48251

Page 3 of 4

**Aquatic Toxicity:** no data available**Bioaccumulative Potential:** no data available**Mobility in Soil:** no data available**Other Adverse Effects:** no data available

This product does not contain persistent, bioaccumulative and toxic chemicals (PBT's) nor does this product contain any very persistent and very bioaccumulative chemicals (vPvB's).

### Section 13: DISPOSAL CONSIDERATIONS

**Disposal:** not considered a RCRA hazardous waste as identified in Fed. Reg. 40 CFR 261.**Additional Disposal Considerations:** Dispose if shelf-life has been exceeded.

### Section 14: TRANSPORT INFORMATION

Not hazardous for transportation.

### Section 15: REGULATORY INFORMATION

**SARA Sections 302 and 304:** This product does not contain Extremely Hazardous Substances (EHS) and is not subject to emergency planning requirements.

**CERCLA:** This product does not contain CERCLA Hazardous Substances and is not subject to reporting requirements.

**SARA Section 313:** Substances within this product are not required to be reported in accordance with SARA 313 or the substances within are exempt by rules for "de minimis concentrations of a toxic chemical in a mixture" §372.38(a).

**The following components appear on one or more of the following state hazardous substances list(s):** not applicable

**California Proposition 65:** There are no chemicals within this mixture on the Proposition 65 List.

**Canadian Regulations require the inclusion of the following statements under "Regulatory Information":** This product has been classified in accordance with the hazard of the controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

#### International Inventories:

**US (TSCA):** The components within this product are included on the TSCA Inventory of Chemical Substances

**Canada (DSL):** All ingredients are on the inventory or exempt from listing.

**European Union (EINECS):** All ingredients conform to the EU requirements.

**Japan (ENCS):** All other ingredients are on the inventory or exempt from listing.

**Philippines (PICCS):** All other ingredients are on the inventory or exempt from listing.

**South Korea (KECL):** All ingredients are on the Inventory or exempt from listing.

**Australia (AICS):** All ingredients are on the Inventory or exempt from listing.

**New Zealand (NZIoC):** All ingredients are on the Inventory or exempt from listing.

**China (IECSC):** All ingredients are on the Inventory or exempt from listing.

### Section 16: OTHER INFORMATION

National Fire Protection Association (NFPA)

Hazardous Material Information System (HMIS®)

#### NFPA Ratings:

Health: 0

Fire: 0

Reactivity: 0

#### HMIS Ratings:

Health: 0

Fire: 0

Reactivity: 0

(NFPA and HMIS Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe)

**Wedjets<sup>®</sup> Dental Dam Stabilizing Cord (Non-Latex)**

Issue Date: September 2014

Internal Document Number: 48251

Page 4 of 4

REVISION HISTORY					
REVISION	DATE	ECN#	CHG BY	APPR BY	DESC. OF CHANGE
A	09/15/14	14383	SBL	SBL	Updated MSDS to GHS/SDS Format. 48251 Revision A supersedes 48096 Revision C.

The information and recommendations set forth herein are presented in good faith and are believed to be correct as of the date hereof. Coltène/Whaledent Inc., however, makes no representations as to the completeness of this information and supplies it on the condition that the persons receiving same will make their own determination as to its suitability of their purposes prior to use. In no event will Coltène/Whaledent Inc. be responsible for damages of any nature whatsoever resulting from use of or reliance upon information.