# MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 098

Product name Carpet Spotter Plus Effective date 11-Sep-2009

Company information Big D Industries Inc

Oklahoma City, OK 73148 United States

Company phone General Assistance 800-654-4752

Emergency telephone US 800-424-9300 Emergency telephone outside US 703-527-3887

Version # 05

Supersedes date 13-Nov-2007

# 2. Hazards Identification

**Emergency overview** Will be easily ignited by heat, spark or flames. CONTENTS UNDER PRESSURE.

Aerosol.

May be harmful if absorbed through skin. Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure Inhalation. Skin contact. Eye contact.

Eyes Contact may irritate or burn eyes. Eye contact may result in corneal injury.

Skin Prolonged or repeated contact can result in defatting and drying of the skin which may

result in skin irritation and dermatitis (rash).

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Prolonged inhalation may be harmful.

**Ingestion** Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhea. May cause delayed lung damage.

Target organs Kidney.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged and may cause blood damage. These effects have not been

observed in humans.

Blood. Central nervous system. Liver. Respiratory system.

Chronic effects Unconsciousness. Conjunctiva. Liver injury may occur. Kidney injury may occur. May

cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause

delayed lung damage.

Signs and symptoms Discomfort in the chest. Corneal damage. Narcosis. Cyanosis. Jaundice. Conjunctivitis.

Defatting of the skin. Irritation.

3. Composition / Information	on Ingredients

Components	CAS#	Percent
2-Butoxyethanol	111-76-2	15 - 20
Propane	74-98-6	3 - 5
n-Butane	106-97-8	1 - 3
Non-hazardous and other components below reportable levels		

## 4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Get medical attention immediately.

Skin contact Immediately flush skin with plenty of water. Remove and isolate contaminated clothing

and shoes. Get medical attention immediately. Wash clothing separately before reuse.

trade\_name Carpet Spotter Plus MSDS US

Inhalation

Ingestion

Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a

pocket mask equipped with a one-way valve or other proper respiratory medical device.

Rinse mouth. Do not induce vomiting without medical advice. If vomiting occurs naturally. have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

# 5. Fire Fighting Measures

Flammable properties

Vapor or gas may spread to distant ignition sources and flash back.

**Extinguishing media** Suitable extinguishing media

Alcohol foam. Dry chemical. Carbon dioxide (CO2).

**Protection of firefighters** 

Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

## 6. Accidental Release Measures

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable.

Methods for cleaning up

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

## 7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

**Storage** 

Level 1 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Avoid exposure to long periods of sunlight. Keep in an area equipped with sprinklers. Keep out of the reach of children.

# 8. Exposure Controls / Personal Protection

### **Exposure limits**

•	~	•	
Δ	1 -1	- 11	н

Components	CAS#	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established
OSHA				
Components	CAS#	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	50 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

#### Personal protective equipment

Eye / face protection

Wear chemical goggles.

Skin protection

trade name

Protective gloves. Wear chemical protective equipment that is specifically recommended

by the manufacturer.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Carpet Spotter Plus 2/5 Revision date: 11-SEP-2009 Print date: 11-SEP-2009 Product #: 676-002

MSDS US

# 9. Physical & Chemical Properties

**Appearance** Compressed liquefied gas. **Boiling point** 219.2 °F (103.9 °C) estimated

Color Colorless.

Flammability (HOC) 8.06 kJ/g estimated

Flash back No

Flash point -156 °F (-104.4 °C) estimated

Form Aerosol.

Odor Butyl
pH 11 - 12
Physical state Liquid.

Pressure 70 - 80 psig @70F
Solubility Completely
Specific gravity 0.9314 estimated

# 10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition. Stable at normal conditions.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition products May include oxides of nitrogen.

# 11. Toxicological Information

Acute effects Acute LD50: 1215 mg/kg estimated, Rat, Dermal

Acute LC50: 12 mg/l/4h estimated, Rat, Inhalation

# 12. Ecological Information

**Ecotoxicity** LC50 6215 mg/L, Fish, 96.00 Hours,

EC50 40960 mg/L, Daphnia, 48.00 Hours,

Components of this product have been identified as having potential environmental

concerns.

# 13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

**Disposal instructions**Contents under pressure. Dispose of this material and its container at hazardous or

special waste collection point. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose

in accordance with all applicable regulations.

# 14. Transport Information

#### **Department of Transportation (DOT) Requirements**

**Basic shipping requirements:** 

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

**Additional information:** 

Packaging exceptions156, 306Packaging non bulk156, 306Packaging bulkNone

trade\_name Carpet Spotter Plus MSDS US

#### **IMDG**

Basic shipping requirements:

Proper shipping name AEROSOLS

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptionsLTD QTYItem5FLabels requiredNoneTransport Category2



#### IATA

**Basic shipping requirements:** 

Proper shipping name Aerosols, flammable

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptions LTD QTY
Labels required 2.1



# 15. Regulatory Information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

2-Butoxyethanol 111-76-2 1.0 % de minimis concentration (applies to R-(OCH2CH2)n-OR', where n = 1,2, or 3,

R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or

sulfonate, Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

Yes

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely N

hazardous substance

Section 311 hazardous chemical Yes

**Inventory status** 

Country(s) or region Inventory name On inventory (yes/no)\* China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of New and Existing Chemicals (EINECS) Europe No European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Japan No Existing Chemicals List (ECL) Korea Nο United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

 2-Butoxyethanol
 111-76-2
 Present

 n-Butane
 106-97-8
 Present

 Propane
 74-98-6
 Present

# 16. Other Information

HMIS® ratings Health: 1\*

Flammability: 2 Physical hazard: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

MSDS sections updated Product and Company Identification: Product and Company Identification

Hazards Identification: Emergency overview Hazards Identification: Target organs Hazards Identification: Main symptoms Handling and Storage: Storage

Transport Information: Product Shipping Name/Packing Group

Regulatory Information: United States

Prepared by Regulatory Compliance