COE-SOFT LIQUID MATERIAL SAFETY DATA SHEET

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

MANUFACTURER

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60658 Telephone: 708-597-0900

Hours Mon.-Fri: 8:00 a.m.-5:00 p.m. C.S.T. Transportation Emergency No. 800-424-9300

COMMON NAME: COE-SOFT LIQUID

CHEMICAL NAME: N.A.

PRODUCT USE: Denture reliner - liquid component.

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Benzyl salicylate	118-58-1	N.E.	N.E.	35-40
Ethyl alcohol	64-17-5	TWA=1000ppm (ACGIH)	N.E.	10-15
		STEL=1000ppm		
		(ACGIH)		

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E. APPEARANCE AND ODOR: Clear liquid

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: $16^{\circ}\text{C}/61.5^{\circ}\text{F}$ (CC) FLAMMABLE LIMITS: N.E.

EXTINGUISHING MEDIA: Dry chemical foam, carbon dioxide, alcohol-type foam, water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Wear protective clothing including self contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Contains Denatured Alcohol; vapors are heavier than air and may travel to

flame source.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide

SECTION 5 - REACTIVITY DATA

STABILITY:	Stable 🔀	Unstable 🗌
POLYMERIZATION:	Will Not Occur 🛚	Will Occur

CONDITIONS TO AVOID: High temperatures, fire, severe oxidizing conditions.

INCOMPATIBILITY (MATERIALS TO AVOID): Nitric acid, sulfuric acid, strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide, carbon dioxide.

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation Skin Ingestion

HEALTH HAZARD (Acute and Chronic): Ingestion may cause nausea, vomiting diarrhea, drowsiness, stupor cramps, loss of consciousness. Possible liver damage. Difficulty with speech. Central nervous system depression. May cause headache, if inhaled. Dizziness, drowsiness can occur. Skin and eye irritation can occur.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Liver damage has been reported from high exposure that approaches the lethal level.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air. If breathing is difficult give oxygen. Seek medical attention.

EYES: Flush eyes with water for at least 15 minutes. Seek medical attention.

SKIN: Wash with soap and water. Remove and wash contaminated clothing promptly. Seek medical attention if

irritation develops.

INGESTION: If swallowed, induce vomiting. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Collect large spills for disposal. Flush small spills with water.
WASTE DISPOSAL METHOD : In accordance with state, local, federal regulations.
STORAGE HANDLING AND SPECIAL PRECAUTIONS. Stora in a good dry place

OTORAGE, HAR	DEINO, AND OF EGIAL FREDA	toriono: Store in a coor ary p	nace.			
SECTION 8 - C	CONTROL MEASURES					
RESPIRATORY F	PROTECTION: Use an MSF	IA-NIOSH approved respirato	or.			
VENTILATION:	Local Exhaust:	Mechanical: 🔀	Special:	Other:		
PROTECTIVE GLOVES: Disposable vinyl gloves are recommended. EYE PROTECTION: Safety glasses OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station WORK/HYGIENIC PRACTICE: Avoid contact with clothing, may stain						
SECTION 9- P	REPARATION INFORMA	TION				
This data is suppl	lied to comply with OSHA Haz	zard Communication Standard 29	CFR 1910,1200 and W.H.M	I.I.S. CPR		
DATE PREPAR	RED: 19 July 2007					
N.A. = NOT API N.E. = NOT EST	-					

The information herein is given in good faith but no warranty expressed or implied is made.

NFPA

FIRE - 3 TOXICITY - 1 REACTIVITY - 0 SPECIAL -