MATERIAL SAFETY DATA SHEET

SECTION I – Product/Company Information

1.1 Product Trade Name:	DYCAL[®] Radiopaque Calcium Hydroxide Composition
1.2 Part (Item) Number:	623400 – 623452 Dentin and Ivory Shades - Base Pastes
1.3 Division Name:	DENTSPLY Caulk
1.4 Address:	38 West Clarke Avenue
City State Zip:	Milford DE 19963-0359
Internet Address:	http://www.caulk.com
1.5 Emergency Telephone Number:	(800) 424-9300 (Chemtrec)
1.6 Telephone Number for Information	n: (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
1.7 Date Prepared:	12/08/97Date Revised 12/08/00

SECTION II – Hazardous Ingredients/Identity Information

Hazardous Components	OSHA PEL	ACGIH TLV	CAS #	Percent
Calcium Tungstate	5 mg\m ³	5 mg\m ³	7790-75-2	< 20%
Zinc Oxide	10 mg\m ³	10 mg/m^3	1314-13-2	< 15%
Disalicylate ester of 1,3 butylene glycol	N.E.	N.E.	73240-13-8	< 50%

SECTION III – Physical/Chemical Characteristics

3.1 Boiling point:	N. A.	3.6 Specific Gravity:	2.0 g/cm^3
3.2 Vapor pressure:	N. A.	3.7 Melting Point:	N. A.
3.3 Vapor density:	N. A.	3.8 Evaporation rate:	N. A.
3.4 Solubility in water:	Not Soluble	-	
3.5 Appearance and odd	r : Tan or Dark beige col	ored paste with characteristic odor of v	wintergreen.

SECTION IV - Fire and Explosion Hazard Data

4.1 Flash point (method used):	N. A.
4.2 Flammability (explosive limits):	LEL: N.E.UEL: N.E.
4.3 Extinguishing media:	Sand, foam, carbon dioxide, or dry chemical.
4.4 Special fire fighting procedures:	Water may be ineffective unless used as a fine spray or fog. Use water spray to cool fire exposed containers. Firefighters should wear full
	protective clothing including a self contained breathing apparatus.
4.5 Unusual fire and explosion hazard	s: During a fire, irritating gasses from the decomposition of the Dycal ester
	may be present.

SECTION V – Reactivity Data

5.1 Stability:	Unstable:	Stable: X
5.2 Conditions to avoid (stability):	Strong bases, such	as calcium hydroxide may cause the material to
	harden.	
5.3 Incompatibility (materials to avoid):	Strong bases.	
5.4 Hazardous decomposition or byproduct	s: Oxides of Zinc	
5.5 Hazardous polymerization:	May occur:	Will not occur: X
5.6 Conditions to avoid (polymerization):	Strong bases	

SECTION VI - Health Hazard Data

6.1 Route(s) of entry:	Inhalation?: No Skin?: Yes Ingestion?: Possible
6.2 Health hazards (acute and chronic):	Ingestion may cause local irritation to soft tissue. Eyes: severe irritation
	caused by reaction of powder with water. Skin: May adhere to tissue. May
	dry the skin causing irritation.
6.3 Carcinogenicity:	NTP?: Not listed IARC monographs?: Not listed OSHA Regulated?: No
6.4 Signs and symptoms of exposure:	Minor skin irritation (redness).
6.5 Medical conditions generally	
aggravated by exposure:	Open wounds or sores of the skin.
6.6 Emergency first aid procedures:	Eyes: In case of eye contact, flush with flowing water for 15 minutes and
	call physician. Skin: Wash thoroughly with soap and water. Call physician
	if irritation persists.

SECTION VII – Precautions for Safe Handling and Use

7.1 Steps to be taken in case	
material is released or spilled	: Wipe up with clean cloth or paper towel. Place in an appropriately marked container.
	Scrub area with alcohol.
7.2 Waste disposal methods:	Dispose of in accordance with Federal, State and Local regulations.
7.3 Precautions to be taken	
in handling and storage:	Store at room temperature. Avoid storage above 50°C(122°F). Store away from food and
	beverages.
7.4 Other precautions:	Observe normal warehouse handling procedures.

SECTION VIII – Control Measures

8.1 Respiratory protection:	None required during normal use of this product.
8.2 Ventilation:	None required during the normal intended use of this product.
	Local exhaust can be used to keep vapors below threshold level.
8.3 Protective gloves:	Rubber gloves.
8.4 Eye protection:	Safety goggles.
8.5 Other protective clothing or equipment:	Chemically resistant apron or other impervious clothing.
8.6 Work/Hygienic practices:	Observe normal care when working with chemicals.

NFPA HAZARD CLASSIFICATIONS		
Health	0	
Flammability	0	
Reactivity	0	
Specific Hazard	N. A.	

NFPA - National Fire Protection Association N.A. - Not Applicable N.E. - Not Established

MATERIAL SAFETY DATA SHEET

SECTION I – Product/Company Information

1.1 Product Trade Name:	DYCAL[®] Radiopaque Calcium Hydroxide Composition		
1.2 Part (Item) Number:	623400 – 623452 Dentin and Ivory Shades - Catalyst Pastes		
1.3 Division Name:	DENTSPLY Caulk		
1.4 Address:	38 West Clarke Avenue		
City State Zip:	Milford DE 19963-0359		
Internet Address:	http://www.caulk.com		
1.5 Emergency Telephone Number:	(800) 424-9300 (Chemtrec)		
1.6 Telephone Number for Information: (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			
1.7 Date Prepared:	12/08/97Date Revised 12/08/00		

SECTION II – Hazardous Ingredients/Identity Information

Hazardous Components	OSHA PEL	ACGIH TLV	CAS #	Percent
Calcium Hydroxide	5 mg\m ³	5 mg\m ³	1305-62-0	< 55 %
Zinc Oxide	10 mg\m ³	10 mg\m ³	1314-13-2	< 15 %
Titanium Dioxide	$10 \text{ mg}\text{m}^3$	10 mg\m ³	13463-67-7	< 8 %

SECTION III – Physical/Chemical Characteristics

3.1 Boiling point:	N. A.	3.6 Specific Gravity:	1.8 g/cm^3	
3.2 Vapor pressure:	N. A.	3.7 Melting Point:	N. A.	
3.3 Vapor density:	N. A.	3.8 Evaporation rate:	N. A.	
3.4 Solubility in water:	Not Soluble			
3.5 Appearance and odor: Light Beige or Off-White colored paste with slight odor.				

SECTION IV - Fire and Explosion Hazard Data

4.1 Flash point (method used):	N. A.	
4.2 Flammability (explosive limits):	LEL: N. A.	UEL: N. A.
4.3 Extinguishing media:	Sand, foam, carbon dioxide, dry chemical.	
4.4 Special fire fighting procedures:	Fire fighter should wear full protective clothing including a self-contained	
	breathing appara	tus.
4.5 Unusual fire and explosion hazards: During a fire, irritating gases from the decomposition of the plasticizer		
	may be present.	

SECTION V – Reactivity Data

-

=

5.1 Stability:	Unstable:	Stable: X
5.2 Conditions to avoid (stability):	High humidity and	elevated temperatures over 50°C(122°F)
5.3 Incompatibility (materials to avoid):	Avoid contact with	strong acids.
5.4 Hazardous decomposition or byproducts:	Oxides of Zinc	
5.5 Hazardous polymerization:	May occur:	Will not occur: X
5.6 Conditions to avoid (polymerization):	Strong acids.	

SECTION VI – Health Hazard Data

6.1 Route(s) of entry:	Inhalation?: No Skin?: Yes Ingestion?: Possible	
6.2 Health hazards (acute and chronic	Example: Ingestion may cause local irritation to soft tissue. Eyes: severe irritation	
	caused by reaction of powder with water. May adhere to tissue. May dry	
	the skin causing irritation.	
6.3 Carcinogenicity:	NTP?: Not listed IARC monographs?: Not listed OSHA Regulated?: No	
6.4 Signs and symptoms of exposure:		
6.5 Medical conditions generally		
aggravated by exposure:	Open wounds or sores of the skin.	
6.6 Emergency first aid procedures:	In case of eye contact, flush with flowing water for 15 minutes and call physician.	
	Wash thoroughly with soap and water. Call physician if irritation persists.	

SECTION VII – Precautions for Safe Handling and Use

7.1 Steps to be taken in case	
material is released or spilled: Wipe up with clean cloth or paper towel. Place in an appropriately marked container.	
	Scrub area with alcohol.
7.2 Waste disposal methods:	Dispose of in accordance with Federal, State and Local regulations.
7.3 Precautions to be taken	
in handling and storage:	Store at room temperature. Avoid storage above 50°C(122°F). Store away from food
	and beverages.
7.4 Other precautions:	Observe normal warehouse handling procedures.

SECTION VIII – Control Measures

8.1 Respiratory protection:	None required during normal use of this product.	
8.2 Ventilation:	None required during the normal intended use of this product.	
	Local exhaust can be used to keep vapors below threshold level.	
8.3 Protective gloves:	Rubber gloves.	
8.4 Eye protection:	Safety goggles.	
8.5 Other protective clothing or equi	oment: Chemically resistant apron or other impervious clothing.	
8.6 Work/Hygienic practices:	Observe normal care when working with chemicals.	

NFPA HAZARD CLASSIFICATIONS	
Health	1
Flammability	0
Reactivity	0
Specific Hazard	N. A.

NFPA - National Fire Protection Association N.A. - Not Applicable N.E. - Not Established

523899 (R-12/08/00)