# FORMATRAY LIQUID

Custom Tray Material

# **1 - IDENTIFICATION**

Manufacturer:	Kerr Corporation
Address:	1717 West Collins Avenue
City, State, Zip:	Orange, CA 92867-5422
Telephone:	1-800-KERR-123
Emergency:	Chemtrec 1-800-424-9300
Date Prepared:	July 18, 2003

# 2 - COMPOSITION INFORMATION

#### **Hazardous Ingredients**

	CAS #	PEL	TLV	<u>%</u>
Methyl Methacrylate Monomer	80-62-6	100ppm	100ppm	>99

# **3 - PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point: 212 °F Specific Gravity ( $H_20 = 1$ ): 0.95 Vapor Pressure (mm Hg): 28 mm Hg @ 20 °C Melting Point: -48 °F Vapor Density (AIR = 1): 3.6 Solubility in Water: 1.6 WT % @ 20 °C Evaporation Rate: N/D Reactivity in Water: N/A Appearance and Odor: Colorless liquid with an acrid, fruity odor.

# 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 49 °F (TCC) Flammable Limits: LEL: 2.1 UEL: 12.5

Extinguishing Media: Chemical foam, carbon dioxide, dry chemicals, water fog.

Special Fire Fighting Procedures: Fight fires from a safe distance. Cool exposed material with cold water spray. Vapors are heavier than air and may travel to ignition source.

Auto-Ignition Temperature: 421° C

Unusual Fire and Explosion Hazards: Sealed containers exposed to elevated temperatures may rupture explosively due to polymerization. Vapors are heavier than air and may travel. To ignition sources.

# **5 - REACTIVITY DATA**

Stability: Stable

Conditions to Avoid: Heat and ignition sources Incompatibility (Material to Avoid): Reducing and oxidizing agents. Material has strong solvent action and can soften paint and rubber. Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, smoke.

Hazardous Polymerization: May occur

## 6 - HEALTH HAZARD DATA

#### **Routes of Entry:**

Skin: Liquid or high vapor concentration may cause skin rashes. Eyes: Liquid or high vapor concentration may cause irritation. Inhalation: Prolonged exposure may lead to headaches, nausea, drowsiness and unconsciousness. Ingestion: May cause gastro-intestinal distress. Carcinogenicity -NTP: No IARC Monographs: No **OSHA Regulated Carcinogen:** No

# 7 - EMERGENCY FIRST AID PROCEDURES

Skin: Wash with soap and water.

Eyes: Immediately flush with water for 15 minutes. Call physician. Inhalation: Move to fresh air. Administer oxygen or give artificial respiration as required.

Ingestion: In the unlikely event of ingestion, call a physician immediately and have names of ingredients available.

# 8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: For high vapor concentration, evacuate area and eliminate ignition sources. Absorb spills with inert material and transfer to suitable container for disposal.

Waste Disposal Method: Material should not be allowed to drain to sewers. Incinerate liquid in proper equipment. Dispose of in accordance with local regulations.

Precautions to be taken in handling and storing: Store in a cool, dark place. Keep away from ignition sources.

### 9 - CONTROL MEASURES

Respiratory Protection (Specify Type): When vapors exceed 100ppm: Self-contained breathing apparatus. **VENTILATION:** 

Local Exhaust: Sufficient to keep concentration below 100ppm. Mechanical (General): Usually sufficient Protective Gloves: Protective gloves are recommended.

**Eve Protection:** Safety glasses

**Other Protective Clothing or Equipment: Eyewash** Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

# **10 - TRANSPORTATION INFORMATION**

Regulated: Proper Shipping Name:	DOT, IATA, IMO Methyl Methacrylate Monomer (Inhibited)
Hazard Class:	3
Identification Number:	UN 1247
Packing Group:	II
Label:	Flammable Liquid

### **11 - SPECIAL INFORMATION**

HMIS (Hazardous Material Identification System) Rating: H2 F3 R2

[HMIS Index: 4 - Severe Hazard; 3 -Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]