MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Name : CITANEST® FORTE 4% INJECTION

Address/Phone No.: DENTSPLY Pharmaceutical

3427 Concord Road York, PA 17402 Phone: 717-757-0200 800-225-2787

2. COMPOSITION/INFORMATION OR INGREDIENTS

Chemical Composition

Contains : Epinephrine bitartrate (0.0005%) CAS No. : None assigned for the product Use : local anesthetic for use in dental procedures %(w/w) HAZARDOUS INGREDIENTS(S) CAS No.

4.0 Prilocaine Hydrochloride 001786-81-8

0.05 Sodium Metabisulphite 007681-57-4

3. HAZARDS IDENTIFICATION

Form : liquid Color : clear aqueous solution Odor : odorless

As a result of the physical presentation of the product, the risk to health in the normal handling of the product is expected to be low.

4. FIRST AID MEASURES

Inhalation	: Unlikely route of exposure. Remove patient from exposure. Obtain medical attention if ill effects occur.			
Claim Comto at				
Skin Contact	: Remove contaminated clothing. Wash skin with soap and water. If			
F G / /	symptoms (irritation or blistering) occur obtain medical attention.			
Eye Contact	: Irrigate with eyewash solution or clean water, holding the eyelids apart,			
	for at least 15 minutes. Obtain medical attention.			
Ingestion	: Wash out mouth with water and give 200-300ml of water to drink. Do			
	not induce vomiting. Obtain medical attention.			

Note to Physicians

Symptomatic treatment and supportive therapy as indicated. For further detail consult the prescribing information.

5. FIRE FIGHTING MEASURES

Flammable Properties

If involved in a fire, it may burn and emit noxious and toxic fumes.

Extinguishing Media : water spray, foam, dry chemical or CO2. Fire Fighting Protective Equipment : A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Ensure suitable personal protection during removal of spillages. Clear up spillages. Wash the spillage area with water. Transfer spilled vials to a suitable container for disposal. Take care to avoid needles and broken container.

7. HANDLING AND STORAGE

7.1 HANDLING

No special precautions are necessary when handling packed product. In case of accident, avoid contact with skin and eyes. Do not breathe mist.

7.2 STORAGE

Keep container tightly closed. Protect from light.

Storage Temperature : Keep at a temperature not exceeding (Deg C) 25.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

No ACGIH TLV or OSHA PEL is assigned to this mixture.

HAZAROUS INGREDIENT(S)	ррт п	ng/m3		WA mg/m3	STEL / CEILING (C)
Prilocaine hydrochloride This is an in-house standard for th	- ne active	5 ingredient du	- ıring m	- anufactu	COM re.
Sodium Metabisulphite	-	5	-	-	TLV
Personal Protective Equipment					
Wear suitable protective clothing					
Respirators Protective Clothing Eye Protection Other Protective Equipment	 If needed, use NIOS organic vapors, dusta than 0.05 mg/m3. If needed, imperviou Chemical tight gogg Eyewash station and 			d mists w oves and	apron.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: clear aqueous solution
Odor	: odorless
pH (Value)	: 3.3-5.5
Solubility (Water)	: freely soluble
Specific Gravity	: 1.007

10. STABILITY AND REACTIVITY

Stable under normal conditions.

Hazardous Reactions		Epinephrine is unstable in alkaline solutions
		when exposed to air or light.
Hazardous Decomposition Product(s)	:	None known.

11. TOXICOLOGICAL INFORMATION

The following information refers to active ingredient:

Inhalation	: May cause tingling/numbness in exposed areas (paresthesia). Unlikely route of exposure. High atmospheric concentrations may lead to anesthetic effects.
Skin Contact	: May cause mild skin irritation. Repeated and/or Prolonged contact may cause skin sensitization in a small proportion of sensitive individuals.
Eye Contact	: Risk of serious damage to eyes. May cause permanent damage if eye is not immediately irrigated.
Long Term Exposure	: Chronic effects are unlikely.

12. ECOLOGICAL INFORMATION

No information of this formulation. The product is soluble in water. The following information refers to active ingredient:

Environmental Fate and Distribution

The substance has low potential for bioaccumulation.

Persistence and Degradation

May cause long-term adverse effects in the aquatic environment. Not readily biodegradable. (ISO7827-1984(E))

Toxicity

Harmful to aquatic organisms. LC50 (zebra fish) (96hour) 188mg/1. EC50 (Daphnia magna) (48 hour) 61mg/1. EC50 (green algae) (72 hour) 154mg/1.

Effect on Atmospheric Ozone

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with local, state or national legislation

Disposal Method : Epinephrine RCRA Code PO42.

14. TRANSPORT INFORMATION

Not classified as Dangerous for Transport.

15. REGULATORY INFORMATION

TSCA (Toxic Substances Control Act) Regulations, 40CFR 710: This product is a drug and is exempt from TSCA regulation. CERCLA and SARA Regulations (40CFR 355,370 and 372): This product does not contain any chemical subject to the reporting requirements of SARA Section 313. CERCLA/SUPERFUD: Contains reportable Quantity Substances, epinephrine and bisulfate. Other Determined Regulation: California Proposition 65: No warnings are necessary.

16. OTHER INFORMATION

This Material Safety Data Sheet was prepared in accordance with ANSI Standard Z400.1 1993, and modified 1998.

GLOSSARY

COM : The company aims to control exposure in its workplace to this limit This is an in-house standard for the active ingredient handled during manufacture TLV : The company aims to control exposure in its workplace to the ACGIH limit Sk : Can be absorbed through skin Sen : Capable of causing respiratory sensitization

The information herein is given in good faith but no warranty, expressed or implied, is made.

(Revision: 01 Date: 0300)

(USOO)

(PH1506)